

Cabinet and Stone Direct

Safety Data Sheet

SECTION 1 Identification Of The Substance/mixture And Of The Company/Undertaking

1.1. PRODUCT IDENTIFICATION

Trade Name	Cabinet and Stone Direct
Product Name	Engineered Quartz
Synonyms	Engineered Stone, Engineered Surfaces, Quartz Surfaces
Chemical Name	Agglomerate of natural quartz and polyester resin
Address	1310 S State College Blvd, Anaheim, CA 92806
Telephone	+1 (714) 603-7178

This document has been prepared in accordance with the Occupational Safety and Health Administration (OSHA) Hazard Communication standard, 29 Code of Federal Regulations (CFR) 1910.1200(g), Safety Data Sheets.

1.2. RECOMMENDED AND RESTRICTED USE

Recommended Use	Surface Material
Restricted Use	Do not fabricate the material, including grinding, buffing, chipping, sanding, drilling, polishing, or other processes that generate dust, prior to reading and understanding all contents of this Safety Data Sheet, the Fabrication Manual, and the product information label.

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE / MIXTURE CLASSIFICATION

Carc. 1A	Carcinogenicity, Category 1A
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

Date of Preparation: Jan 2025

Cabinet and Stone Direct

2.2. LABEL ELEMENTS / LABELING



GHS08

Hazard Pictograms

Signal Word

Danger

Hazard Statements

H350 - May cause cancer.

H372 - Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements

P103 - Read label before use.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P285 - In case of inadequate ventilation wear respiratory protection.

P308 + P313 - IF exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P335 - Brush off loose particles from skin.

P363 - Wash contaminated clothing before reuse.

P401 - Store indoors.

P403 - Store in a well-ventilated place.

P405 - Store locked up. P410 + P403 - Protect from sunlight. Store in a well-ventilated place.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. collection point, in accordance with local, regional, national and/or international regulation.

2.3. OTHER HAZARDS

Contact with eye and skin may cause reversible physical irritation to eye and skin.

2.4. UNKNOWN ACUTE TOXICITY (GHS-US)

Not applicable.

Date of Preparation: Jan 2025

Cabinet and Stone Direct

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1. SUBSTANCE

Not applicable.

3.2. MIXTURE

Chemical Name (Common Name)	Product Identifier	%
Crystalline Silica (Quartz)	(CAS No) 14808-60-7	<= 93
Pigmented cured polyester	(CAS No) Not available	<10
Polymethylmethacrylate (Polyester Resin Solution)	(CAS No) 9011-14-7	<10

SECTION 4: FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

First-Aid Measures General	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-Aid Measures After Inhalation	Allow breathing of fresh air. Allow the victim to rest.
First-Aid Measures After Skin Contact	Remove affected clothing and wash all exposed skin areas with mild soap and water, followed by warm water rinse. Obtain medical attention if pain, blinking, tears or redness persists.
First-Aid Measures After Eye Contact	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking, tears or redness persists.
First-Aid Measures After Ingestion	Rinse mouth. Do NOT induce vomiting. Give a glass of water. Obtain emergency medical attention.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms/Injuries	Causes damage to organs through prolonged or repeated exposure.
-------------------	---

Date of Preparation: Jan 2025

Cabinet and Stone Direct

Symptoms/Injuries After
Inhalation

May cause cancer by inhalation.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No additional information available

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable Extinguishing Media Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable Extinguishing Media Unknown

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

No additional information available

5.3. ADVICE FOR FIREFIGHTERS

Protective Equipment For
Firefighters

Do not enter a fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1. For Non-Emergency Personnel

Date of Preparation: Jan 2025

Cabinet and Stone Direct

Emergency Procedures	Evacuate unnecessary personnel from the scene. Do your personal protective equipment. Collect materials for proper disposal per 6.3 below.
----------------------	--

6.1.2. For Emergency Responders

Protective Equipment	Equip cleanup crew with proper protection.
----------------------	--

Emergency Procedures	Ventilate area. Sweep or shovel spills into appropriate containers for disposal.
----------------------	--

6.2. ENVIRONMENTAL PRECAUTIONS

Avoid release of dust and residue materials to the environment.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Methods For Cleaning Up	To dispose of dust or debris, use a HEPA vacuum system and place the waste into suitable containers. Minimize generation of dust by dampening dust, debris or area to be swept with water prior to sweeping. Store away from other materials.
-------------------------	---

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Precautions For Safe Handling	Avoid breathing dust. Avoid contact with skin and eyes. Provide good ventilation in the process area to prevent formation of vapor. Obtain special instructions before use. Do not handle it until all safety precautions have been read and understood.
-------------------------------	--

Hygiene Measures	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
------------------	---

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage Conditions	Keep only in the original container in a cool, well-ventilated area. Product should be stored in a covered area to protect from any damage.
--------------------	---

Incompatible Condition	For best quality protection, the surface should be protected from direct sunshine and rain.
------------------------	---

7.3. SPECIFIC END USE(S)

No additional information available.

Date of Preparation: Jan 2025

Cabinet and Stone Direct

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (respirable fraction)
OSHA	OSAH PEL (mg/m ³)	


8.2. EXPOSURE CONTROLS

Appropriate Engineering Controls

Use adequate ventilation.

Personal Protective Equipment

Gloves. Safety glasses. Protective clothing.



Skin And Body Protection

Avoid prolonged skin contact with powder generated. Wear safety gloves and steel-toed shoes.

Eye Protection

Wear goggles with air valves.

Respiratory Protection

Avoid inhalation of powder generated. Wear a respirator.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Solid

Appearance

Multi-colored solid and granular texture

Color

Varies

Odor

None-Odorless

Date of Preparation: Jan 2025

Cabinet and Stone Direct

Odor Threshold	No data available
Ph	No data available
Relative Evaporation Rate (Buty Acetate=1)	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	914 °F (490 °C)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (Solid, Gas)	No data available
Vapor Pressure	No data available
Relative Vapor Density At 20 °C	No data available
Relative Density	2.35 - 2.45 (water=1)
Solubility	Not soluble in water
Log Pow	No data available
Log Kow	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available
Evaporation Rate	No data available
Partition Coefficient: N-Coctanol/Water	No data available

Date of Preparation: Jan 2025

Cabinet and Stone Direct

9.2. OTHER INFORMATION

No additional information available.

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

No additional information available.

10.2. CHEMICAL STABILITY

Stable at normal temperatures and storage conditions.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

Polymerization will not occur in solid state.

10.4. CONDITIONS TO AVOID

Avoid damage or impact to the material. For best quality protection, avoid direct sunlight for storage.

10.5. INCOMPATIBLE MATERIALS

Alkaline solution, Methylene Chloride, Paint Remover, Cleaners that contain pine oil, abrasive scrubs, cleaners containing either soft or hard abrasive particles, acetone, bleach.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

No additional information available.

Cabinet and Stone Direct

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute Toxicity	Not classified
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory Or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	May cause cancer
Reproductive Toxicity	Not classified
Specific Target Organ Toxicity (Single Exposure)	Not classified
Specific Target Organ Toxicity (Repeated Exposure)	Causes damage to organs through prolonged or repeated exposure.
Aspiration Hazard	Inhalation and potential exposures to eyes, hands, lungs or other body parts if contact is made with dust emitted from the fabrication process or if the material is crushed, damaged, or altered.
Acute Effects	Breathing dust may cause acute mechanical respiratory irritation. Skin and eye contact may cause irritation.

Quartz (14808-60-7)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	2 - Known Human Carcinogens

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Date of Preparation: Jan 2025

Cabinet and Stone Direct

Toxicity is expected to be low due to the insolubility of the material.

12.2. PERSISTENCE AND DEGRADABILITY

Not established.

12.3. BIOACCUMULATIVE POTENTIAL

Not established.

12.4. MOBILITY IN SOIL

No additional information available.

12.5. OTHER ADVERSE EFFECTS

Effect On Ozone Layer No additional information available

Effect On The Global Warming No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Dispose in a safe manner in accordance with federal, state and local regulations.

SECTION 14: TRANSPORT INFORMATION

Always transport in accordance with the regulations set forth by the Department of Transportation

Additional Information No supplementary information is available.

ADR No additional information available.

Transport by Sea No additional information available.

Air Transport No additional information available.

Date of Preparation: Jan 2025

Cabinet and Stone Direct

SECTION 15: REGULATORY INFORMATION

15.1. US FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2 INTERNATIONAL REGULATIONS

CANADA

Quartz (14808-60-7)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects

EU-REGULATIONS:

Quartz (14808-60-7)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 [CLP]

Exempted from REACH Registration in accordance with Annex V.7. of Regulation (EC) 1907/2006

OTHER INTERNATIONAL REGULATIONS

Quartz (CAS No.: 14808-60-7)

Cabinet and Stone Direct

Listed on IARC (International Agency for Research on Cancer)
Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed as carcinogen on NTP (National Toxicology Program)
Listed on the Canadian IDL (Ingredient Disclosure List)

15.3. US STATE REGULATIONS CALIFORNIA

PROPOSITION 65

WARNING: this product can expose you to chemicals including Silica, crystalline (airborne particles of respirable size), which is known to the State of California to cause cancer. For more information go to <https://www.p65warnings.ca.gov/>

The State of California, under Proposition 65, regulates Silica, crystalline (airborne particles of respirable size) as a carcinogen. In this product, Silica, crystalline is not supplied in the form regulated in California.

Silica, crystalline (airborne particles of respirable size), resulting from fabrication of Quartz (CAS No.: 14808-60-7)				
U.S. California - Proposition 65 - Carcinogens List	U.S. California - Proposition 65 - Developmental Toxicity	U.S. California - Proposition 65 - Reproductive Toxicity - Female	U.S. California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	

SECTION 16: OTHER INFORMATION

Abbreviations and Acronyms ACGIH (American Conference of Government Industrial Hygienists).
ATE - acute toxicity estimate. CAS (Chemical Abstracts Service)
number. CLP - Classification, Labelling and Packaging. HCS - Hazard
Communication Standard. IARC (International Agency for Research on
Cancer). Overland transport (ADR). TWA- Time Weighted Average.
TSCA - Toxic Substance Control. European Agreement concerning the
International Carriage of Dangerous Goods by Inland Waterways.
European Agreement concerning the International Carriage of
Dangerous Goods by Road. Classification Labelling Packaging
Regulation; Regulation (EC) No 1272/2008. International Agency for
Research on Cancer. Median effective concentration. International Air
Transport Association. Median lethal concentration. Median lethal dose.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions or recommendations are not followed. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his or her own particular use.